FOR OFFICIAL USE ONLY

DECK LOG-TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK LOG BOOK

OF THE

U.S.S. ABILITY

(MSO-519)
IDENTIFICATION NUMBER

COMMANDED BY

T. HUTTINGER, LT, USN, U. S. N.

Attached to EIGHTY-FIVE Division,
COMINRON 8 Squadron,
Flotilla,
SIXTH Fleet,
SIXTH Naval District,

Commencing 0001R 1 MARCH 1964, 19 64,
(zone time and date)

at CHARLESTON, SOUTH CAROLINA,
(location)

and ending 0000R 30 MARCH 1964, 19 64,
(zone time and date)

at CHARLESTON, SOUTH CAROLINA
(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE SUNDAY (Day) 1 (Date) MARCH (Month), 19 64

AT/PASSAGE FROM ROTA, SPAIN TO CHARLESTON, S.C.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	260	5	10	BKN	30.29	54	44	7	1800	ST	70	—	0
02	260	5	10	BKN	30.27	55	45	8	1800	ST	70	—	0
03	260	5	10	BKN	30.25	55	45	8	1800	ST	70	—	0
04	255	5	10	BKN	30.24	57	50	8	1800	ST	68	—	0
05	260	7	10	BKN	30.25	58	52	8	1800	ST	68	240	1
06	250	10	10	BKN	30.24	59	53	9	1600	ST	68	250	1
07	250	10	10	OVC	30.25	58	53	10	1600	ST	68	250	1
08	255	5	9	BKN	30.26	56	53	9	1600	ST	63	—	0
09	260	5	9	BKN	30.26	56	53	9	1600	ST	63	—	0
10	285	5	9	BKN	30.29	56	52	9	1800	ST	63	—	0
11	285	1	8	BKN	30.29	58	54	9	1800	ST	55	—	0
12	—	0	7	BKN	30.28	61	55	9	2000	ST	58	—	0
13	—	0	7	BKN	30.28	62	55	9	2000	ST			
14	275	3	6	BKN	30.27	63	56	8	1800	ST			
15	280	3	6	BKN	30.27	63	56	8	1800	ST			
16	275	3	6	BKN	30.25	62	55	8	1800	ST			
17	270	4	7	BKN	30.23	61	55	8	1800	ST			
18	285	4	10	BKN	30.20	58	52	8	2500	ST			
19	280	3	10	BKN	30.19	54	50	6	2500	Sc			
20	235	2	10	SCT	30.17	53	50	4	3000	Sc			
21	235	2	10	SCT	30.16	52	49	2	4000	Sc			
22	230	2	10	SCT	30.15	51	48	2	4000	Sc			
23	230	2	10	SCT	30.16	50	47	2	3000	Sc			
24	220	2	10	SCT	30.15	49	46	2	3000	Sc			

POSITION	ZONE	TIME
0800		
L 32° 30.5' N	BY	Z
λ 78° 42' W	BY	Z
1200		
L 32° 40.2' N	BY	Z
λ 79° 35' W	BY	Z
2000		
L	BY	
λ	BY	

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM 2000 (ZT) 28 FEB. 1964 (Date)
TO 0800 (ZT) 1 MAR. 1964 (Date)
SET 035° T
DRIFT 0.7 KTS

POSITION BETWEEN FIXES

MID. L 32° 15.5' N
MID. λ 77° 42.5' W

MILES STEAMED 0000-2400: 1140

FUEL CONSUMED 0000-2400: 1363

REMARKS

00-04 STEAMING INDEPENDENTLY ENROUTE FROM ROTA SPAIN TO CHARLESTON, S.C. IN COMPANY WITH MINDIV 85 COMPOSED OF USS RIVAL (MSO 468), USS NOTABLE (MSO-460), AND USS SALUTE (MSO-470). SOPA AND OTC IS CMDR. HERBERT, COMINDIV 85 IN THIS SHIP. BASE COURSE 283° T. SPEED 10.6 KTS. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

[signature]
LTJG USNR

04-08 STEAMING AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES NONE.

[signature]
LTJG USNR

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: [signature] LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) SUNDAY (Day) 1 (Date) MARCH (Month) 19 64

0800-1200 STEAMING AS BEFORE.
0935 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL

P. J. Meenaghan (Offg) ENS USN

1200-1600 STEAMING AS BEFORE. 1255 SET SAFETY SEA DETAIL. MANEUVERING VARIOUS COURSES AND SPEEDS WHILE ENTERING PORT AT CHARLESTON, S.C. 1514 MOORED STARBOARD SIDE TO PIER "T". 1517 SECURED SEA DETAIL. SET REGULAR INPORT WATCH.

P. J. Meenaghan (Offg) ENS USN

1600-2000 MOORED AS BEFORE.

P. J. Meenaghan (Offg) ENS USN

2000-2400 MOORED AS BEFORE.

P. J. Meenaghan (Offg) ENS USN

APPROVED: W. Hutchings LT U.S.N. COMMANDING

EXAMINED: P. J. Meenaghan (Offg) ENS U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE MONDAY (Day) 2 (Date) MARCH (Month), 19 64

AT/~~PASSAGE FROM~~ CHARLESTON, S. C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	220	2	10	CLR	30.15	48	46	CLEAR					
02	220	2	10	CLR	30.15	47	45	CLEAR					
03	220	3	10	CLR	30.15	47	45	CLEAR					
04	220	2	8	SCT	30.14	50	48	2	2000	ST			
05	210	2	8	SCT	30.12	55	53	3	2000	ST			
06	215	2	7	SCT	30.11	53	51	4	1800	ST			
07	210	2	6	BKN	30.11	54	52	6	1800	ST			
08	—	0	7	SCT	30.11	56	54	4	1800	ST			
09	—	0	10	BKN	30.12	58	56	8	1500	ST			
10	—	0	10	BKN	30.12	58	56	8	1800	ST			
11	—	0	10	BKN	30.13	60	58	8	1800	ST			
12	140	5	8	BKN	30.11	67	64	8	1800	ST			
13	130	7	8	OVC	30.10	66	63	10	1500	ST			
14	140	7	8	OVC	30.08	64	61	10	1500	ST			
15	140	11	8	OVC	30.05	61	59	10	1500	ST			
16	150	7	6	OVC	30.04	59	57	10	1500	ST			
17	195	6	6	OVC	30.01	59	57	10	1500	ST			
18	200	6	5	R	30.00	57	55	10	1500	NS			
19	200	6	4	R	30.00	57	55	10	1500	NS			
20	200	6	4	R	30.00	55	54	10	1500	NS			
21	200	2	4	R	29.99	55	54	10	1500	NS			
22	200	3	4	R	29.96	54	52	10	1500	NS			
23	210	2	5	R	29.94	53	52	10	1500	NS			
24	240	2	6	R	29.92	53	52	10	1500	NS			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

ØØ-Ø4 MOORED IN A NEST OF TWO SHIPS PIER TANGO BERTH TWO, U.S. NAVAL STATION, CHARLESTON, S.C. WITH U.S.S. NOTABLE (MSO-460) OUTBOARD TO PORT WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA IS E. B. GRANTHAM, R. ADM, USN, COMINLANT. SHIPS PRESENT INCLUDE UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT, RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II WITH MARRIAC CONDITION YOKE SET.

Ø4-Ø8 MOORED AS BEFORE. Ø73Ø COR. ~~C.A.~~ A.J. MASHAW, USN IS ACTING COMINDIV 85. Ø745 MUSTERED THE CREW ON STATION, ABSENTEES NONE

S.W.S.

APPROVED: _____ LT U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) MONDAY (Day) 2 (Date) MARCH (Month), 19 64

0800-1200 MOORED AS BEFORE. 1030 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL.

J. A. Kelly
2 T/G USNR

1200-1600 MOORED AS BEFORE.

J. A. Kelly
LT/G USNR

1600-2400 MOORED AS BEFORE

J. A. Kelly
LT/G USNR

0000-2400 MOORED AS BEFORE

J. Sweeney
LCDR USN

APPROVED: LT

J. A. Kelly Jr. U.S.N. COMMANDING

EXAMINED:

J. Sweeney (USN) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE TUESDAY (Day) 3 (Date) MARCH (Month), 19 64

AT/~~PASSAGE~~ FROM CHARLESTON S. C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	230	4	4	R	29.92	53	53	10	1500	NS			
02	240	6	3	R	29.92	53	53	10	1500	NS			
03	240	6	3	R	29.92	53	53	10	1500	NS			
04	240	6	2	R	29.91	53	53	10	1500	NS			
05	240	4	2	R	29.92	53	53	10	1500	NS			
06	235	6	2	R	29.92	53	53	10	1800	NS			
07	235	2	4	OVC	29.93	54	53	10	2000	ST			
08	230	2	5	OVC	29.92	57	55	10	2000	ST			
09	230	3	5	R	29.91	61	60	10	2000	NS			
10	230	2	5	OVC	29.93	64	62	10	2000	ST			
11	230	2	2	H	29.95	65	63	10	1500	ST			
12	215	2	2	H	29.94	67	65	10	1000	ST			
13	215	2	3	H	29.95	67	65	10	1000	ST			
14	230	3	2	H	29.95	66	65	9	1000	ST			
15	230	3	2	H	29.93	66	64	9	1000	ST			
16	235	2	2	H	29.93	66	64	10	1000	ST			
17	235	3	3	H	29.94	67	65	10	1000	ST			
18	230	3	3	H	29.94	67	65	10	1000	ST			
19	220	3	5	OVC	29.94	66	64	10	1500	ST			
20	220	3	6	BKN	29.94	65	63	8	2500	ST/AS			
21	220	3	6	BKN	29.94	64	63	8	3000	ST/AS			
22	230	2	6	OVC	29.95	64	62	10	3000	ST			
23	220	3	6	OVC	29.94	63	61	10	3000	ST			
24	230	3	6	OVC	29.95	63	61	10	3000	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

0000-0400 MOORED IN A NEST OF TWO SHIPS PIER TANGO BERTH TWO, U.S. NAVAL STATION, CHARLESTON, S.C. WITH U.S.S. NOTABLE (MSO-466) OUTBOARD TO PORT WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA IS E.R. GRANTHAM, CAPT, USN, COMMANDANT. SHIPS PRESENT INCLUDE UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM PIER. SHIPS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET.

D.A. King
Ltjg USNR

0400-0800 MOORED AS BEFORE. 0745 MUSTERED CREW ON STATION, ASSORTED: NONE.

D.A. King
Ltjg USNR

APPROVED: _____ LT U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY, (MSO 519) TUESDAY, 3 MARCH 19 64
(Day) (Date) (Month)

0800-1200 MOORED AS BEFORE. 0945 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

(Illegible) USN

1200-1600 MOORED AS BEFORE.

(Illegible) USN

1600-2000 MOORED AS BEFORE.

(Illegible) USN

2000-2400 MOORED AS BEFORE

(Illegible) USN

APPROVED: EXAMINED:

LT
U.S.N. COMMANDING (Illegible) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE WEDNESDAY (Day) 4 (Date) MARCH (Month), 19 64

AT/~~PASSAGE~~ FROM CHARLESTON S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	240	3	6	OVC	29.95	63	61	10	3000	ST			
02	230	3	5	OVC	29.95	63	61	10					
03	230	3	5	OVC	29.96	63	61	10					
04	230	3	4	OVC	29.96	63	61	10					
05	230	3	5	OVC	29.97	64	62	10					
06	235	3	½	F	29.97	64	62	OBSCURED					
07	235	3	2	H	29.97	66	64	10					
08	200	2	2	H	29.96	68	65	10					
09	210	4	4	OVC	29.97	74	71	10					
10	200	3	5	OVC	29.97	76	73	10					
11	200	3	5	OVC	29.97	76	74	10					
12	195	3	5	OVC	2996	77	74	10					
13	200	3	7	H	2995	76	73	10					
14	190	4	7	H	2992	75	72	10					
15	200	4	7	H	2992	75	71	9					
16	200	5	7	H	2990	70	67	9					
17	200	4	7	BKN	2988	70	67	9					
18	190	4	9	BKN	2986	69	66	7					
19	200	5	9	SCT	2984	69	67	4					
20	190	9	9	SCT	2982	68	66	3					
21	190	10	10	CLR	2980	68	66	CLEAR					
22	190	10	10	CLR	2982	68	65	CLEAR					
23	200	8	10	CLR	2981	67	64	CLEAR					
24	200	10	10	CLR	2981	67	64	CLEAR					

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 MOORED IN A NEST OF TWO SHIPS AT PIER TANGO, BERTH TWO, U.S. NAVAL STATION, CHARLESTON, S.C., WITH U.S.S. NOTABLE, (MSO-460) OUTBOARD TO PORT WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA IS E.B. BRANTHAM, RADM., USN, COMINLANT. SHIPS PRESENT INCLUDE UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

04-08 MOORED AS BEFORE. ~~0745~~ ~~0810~~ MUSTERED THE CREW AT QUARTERS, ABSENTEES NONE S.W.S.

APPROVED: LT U.S.N. COMMANDING

EXAMINED: U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP MOBILITY (MSO-425) WEDNESDAY (Day) 4 (Date) MARCH (Month), 19 64

0800-1200 MOORED AS BEFORE. 1045 HAD DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

J. M. Craig
LT, USN

1200-1600 MOORED AS BEFORE.

J. M. Craig
LT, USNR

1600-2000 MOORED AS BEFORE.

J. Freeman
ENS, USN

2000-2400 MOORED AS BEFORE.

J. Freeman
ENS, USN

APPROVED: EXAMINED:

T. Kittinger LT U.S.N. COMMANDING J. Freeman ENS, USN U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE THURSDAY (Day) 5 (Date) MARCH (Month), 19 64

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	200	14	9	SCT	29.82	66	64	2	6500	Ac			
02	200	10	9	SCT	2980	64	62	3	6500	Ac			
03	215	12	9	SCT	2979	65	62	3	6500	Ac			
04	210	12	9	SCT	2980	65	63	3	6500	Ac			
05	210	12	9	SCT	2980	66	63	3	6500	Ac			
06	200	10	9	SCT	2982	66	64	3	6500	Ac			
07	190	12	9	SCT	2982	65	63	3	6500	Ac			
08	200	10	8	SCT	2983	63	61	3	6500	Ac			
09	200	5	8	SCT	2986	65	63	2	4500	Cu			
10	210	6	8	SCT	2985	68	64	2	3000	Cu			
11	210	7	10	SCT	2984	66	63	2	3000	Cu			
12	215	5	10	SCT	2985	69	64	3	3000	ST			
13	210	7	10	SCT	2983	81	69	4	3000	ST			
14	210	7	10	SCT	2981	82	69	4	2500	ST			
15	210	7	10	SCT	2981	76	64	4	2500	ST			
16	220	8	10	SCT	2983	73	63	4	2500	ST			
17	220	7	8	SCT	2985	70	63	4	1500	ST			
18	240	9	8	SCT	2988	66	60	4	1500	ST			
19	250	11	8	SCT	2990	65	61	3	1500	ST			
20	260	13	8	CLR	2993	64	61	CLEAR					
21	260	10	8	CLR	2996	60	57	CLEAR					
22	270	14	8	CLR	3000	59	55	CLEAR					
23	270	15	8	CLR	3003	57	53	CLEAR					
24	280	15	8	CLR	3004	53	49	CLEAR					

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED IN NEST OF TWO SHIPS AT PIER TANGO BERTH TWO, US NAVAL STATION CHARLESTON, SC. WITH USS NOTABLE, (MSO 460) OUTBOARD TO PORT WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA IS EB. GRANTHAM, RADM. USN COMINLANT. SHIPS PRESENT INCLUDE UNITS OF US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

J Hennessy
LTJG USN

04-08
~~08-12~~ MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS ABSENTEES; NONE.

J Hennessy
LTJG USN

APPROVED: J Hennessy LT U.S.N. COMMANDING

EXAMINED: J Hennessy LTJG U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY, (MSO 519) THURSDAY, 5 MARCH 19 64
(Day) (Date) (Month)

0800-1200 MOORED AS BEFORE. 0810 MUSTERED THE CREW AT QUARTERS, ABSENTEES NONE 1000 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL

[signature] LCDR USN

1200-1600 MOORED AS BEFORE.

[signature] LCDR USN

1600-2000 MOORED AS BEFORE

[signature] LCDR USN

2000-2400 MOORED AS BEFORE

[signature] LCDR USN

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: [signature] LCDR U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO519) ZONE DESCRIPTION +5 DATE FRIDAY (Day) 6 (Date) MARCH (Month), 19 64

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	280	13	8	CLR	3008	50	45	CLEAR					
02	280	10	8	CLR	3011	50	45	CLEAR					
03	270	8	8	CLR	3013	48	43	CLEAR					
04	275	2	8	CLR	3017	45	40	CLEAR					
05	285	1	8	CLR	3020	45	40	CLEAR					
06	280	2	8	CLR	3023	45	40	CLEAR					
07	280	2	8	CLR	3027	44	39	CLEAR					
08	270	2	8	CLR	3026	45	40	CLEAR					
09	270	2	10	CLR	3027	48	42	CLEAR					
10	270	2	10	CLR	3027	50	45	CLEAR					
11	280	1	10	CLR	3026	55	51	CLEAR					
12	245	2	10	CLR	3026	67	57	CLEAR					
13	160	2	10	CLR	3024	66	54	CLEAR					
14	145	3	10	CLR	3024	66	55	CLEAR					
15	150	3	10	CLR	3026	63	52	CLEAR					
16	145	2	10	CLR	3025	60	50	CLEAR					
17	145	2	10	CLR	3026	57	49	CLEAR					
18	150	2	10	CLR	3027	53	48	CLEAR					
19	150	2	10	CLR	3027	51	47	CLEAR					
20	150	2	10	CLR	3026	49	46	CLEAR					
21	150	1	8	CLR	3026	46	43	CLEAR					
22	140	1	8	CLR	3026	47	44	CLEAR					
23	140	2	8	CLR	3027	46	44	CLEAR					
24	140	2	8	CLR	3027	46	43	CLEAR					

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED IN A NEST OF TWO SHIPS AT PIER TANGO, BERTH TWO, U.S. NAVAL STATION, CHARLESTON, S.C., WITH U.S.S. NOTABLE, (MSO 460) OUTBOARD TO PORT WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA IS W. F. SCHLECH, CAPT., USN, COMSUBFLOT SIX. SHIPS PRESENT INCLUDE UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS, ABSENTEES: NONE.

APPROVED: _____ LT U.S.N. COMMANDING

EXAMINED: _____ LT(jg) U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (AM-233) MONDAY (Day) 6 (Date) MARCH (Month), 19 64

0800-1200 MOORED AS BEFORE. 1000 MADE DAILY INSPECTION OF MAGAZINES AND SMOKERS POWDER SAMPLES: CONDITIONS NORMAL. 1030 MADE WEEKLY TEST OF MAGAZINE SPRINKLER SYSTEM: CONDITIONS SATISFACTORY.

J. M. King
Lt/g USNR

1200-1600 MOORED AS BEFORE.

J. M. King
Lt/g USNR

1600-2000 MOORED AS BEFORE.

J. M. King
Lt/g USNR

2000-2400 MOORED AS BEFORE.

J. M. King
Lt/g USNR

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: [signature] LCDR U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION 75 DATE SATURDAY (Day) 7 (Date) MARCH (Month), 19 64

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	140	4	10	CLR	30.27	45	43	CLEAR					
02	140	5	10	CLR	30.27	44	43	CLEAR					
03	145	5	10	CLR	30.27	43	42	CLEAR					
04	155	5	10	CLR	30.26	43	41	CLEAR					
05	165	5	10	CLR	30.27	44	42	CLEAR					
06	155	5	8	SCT	30.28	45	42	3	3000	ST/C1			
07	160	5	1/2	H	30.29	47	43	3	2000	ST/C1			
08	160	4	1/2	H	30.32	53	50	3	2000	ST/C1			
09	345	3	8	SCT	30.34	59	56	3	20000	C1			
10	350	2	10	SCT	30.37	62	59	3	20000	C1			
11	—	0	10	SCT	30.38	71	66	2	20000	C1			
12	—	0	10	SCT	30.36	76	69	3	20000	C1			
13	—	0	10	SCT	30.35	76	68	4	20000	C1			
14	145	2	8	BKN	30.32	69	61	6	8500	Ac C1			
15	150	7	8	BKN	30.31	67	61	7	8000	Ac C1			
16	155	8	8	BKN	30.31	67	61	7	8000	Ac C1			
17	155	8	8	BKN	30.29	65	60	7	8000	Ac C1			
18	150	8	8	BKN	30.29	62	58	6	8000	Ac C1			
19	150	5	8	BKN	30.29	60	57	6	8000	Ac C1			
20	—	0	10	SCT	30.29	57	54	3	20000	C1			
21	—	0	10	SCT	30.31	56	54	2	20000	C1			
22	010	3	10	CLR	30.32	55	53	CLEAR					
23	005	1	10	CLR	30.32	54	52	CLEAR					
24	010	1	10	CLR	30.31	52	50	CLEAR					

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

0000-0400 MOORED IN A NEST OF TWO SHIPS AT PIER TANGO BERTH TWO, U.S. NAVAL STATION, CHARLESTON, S.C. IN A NEST OF TWO SHIPS WITH U.S.S. NOTABLE (MSO-466) OUTBOARD TO PORT. SOPA IS E. M. WARD, RADM, USN, COMPHIBGRU TWO IN U.S.S. FRANCIS MARION (APA-249). SHIPS PRESENT INCLUDE UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

J. A. King
LTJG USNR

0400-0800 MOORED AS BEFORE. 0745 MUSTERED CREW ON STATION; ABSENTEES NONE.

J. A. King
LTJG USNR

APPROVED: _____ LT U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY, (MSO 519) SATURDAY (Day), 7 (Date) MARCH (Month), 19 64

0800-1200 MOORED AS BEFORE, 0810 MUSTERED THE CREW AT QUARTERS, ABSENTEES NONE. 0945 MADE DAILY A-INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

(signature) (rank)

1200-1600 MOORED AS BEFORE

(signature) (rank)

1600-2000 MOORED AS BEFORE

(signature) (rank)

2000-2400 MOORED AS BEFORE

(signature) (rank)

APPROVED: (signature) LT U.S.N. COMMANDING

EXAMINED: (signature) (rank) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION 15 DATE SUNDAY (Day) 8 (Date) MARCH (Month), 19 64

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	010	1	10	CLR	3029	53	51	CLEAR					
02	015	1	10	CLR	3027	52	51	CLEAR					
03	015	1	10	CLR	3025	52	51	CLEAR					
04	—	0	10	CLR	3025	52	51	CLEAR					
05	—	0	10	CLR	3024	51	50	CLEAR					
06	—	0	10	SCT	3023	51	50	3	3000	ST/CI			
07	—	0	8	SCT	3022	52	50	5	3500	ST/CI			
08	—	0	8	SCT	3023	56	51	4	3500	ST/CI			
09	085	1	8	SCT	3025	64	54	5	3500	ST/CI			
10	090	1	8	SCT	3024	74	63	5	3000	ST/CI			
11	090	1	8	SCT	3024	79	69	4	2000	ST/CI			
12	160	3	10	SCT	3021	77	67	5	2000	ST/CI			
13	160	3	10	SCT	3019	73	63	4	2000	Sc/CI			
14	160	3	10	SCT	3017	70	64	4	2000	Sc/CI			
15	175	5	10	SCT	3016	70	64	4	2000	Sc			
16	265	4	10	SCT	3015	70	64	4	2000	Sc			
17	265	2	10	SCT	3015	67	63	4	2500	Sc			
18	270	3	10	BKN	3014	65	62	6	3500	Cu			
19	255	4	10	BKN	3014	65	62	6	3500	Cu			
20	260	2	10	SCT	3013	63	61	4	3500	Cu			
21	250	3	10	SCT	3011	61	59	3	3500	Cu			
22	260	3	10	CLR	3010	60	59	CLEAR					
23	260	2	10	CLR	3009	59	58	CLEAR					
24	260	2	10	CLR	3009	59	58	CLEAR					

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED IN A NEST OF TWO SHIPS AT PIER TANGO, BERTH TWO, U.S. NAVAL STATION, CHARLESTON, S.C., WITH U.S.S. NOTABLE, (MSO 460) OUTBOARD TO PORT WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA IS E.B. GRANTHAM, RADM., USN, COMINLANT. SHIPS PRESENT INCLUDE UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

J. Freeman
LT(jg) USN

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATION. ABSENTEES: NONE.

J. Freeman
LT(jg) USN

APPROVED: _____ LT U.S.N. COMMANDING

EXAMINED: J. Freeman (for) U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY, (MSO 519) SUNDAY (Day), 8 (Date) MARCH (Month), 19 64

0800-1200 MOORED AS BEFORE. 0930 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL.

J. A. King
LT, USNR

1200-1600 MOORED AS BEFORE.

J. A. King
LT, USNR

1600-2000 MOORED AS BEFORE.

J. A. King
LT, USNR

2000-2400 MOORED AS BEFORE.

J. A. King
LT, USNR

APPROVED: EXAMINED:

LT U.S.N. COMMANDING U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE MONDAY 9 MARCH , 19 64
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ CHARLESTON S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	260	2	10	CLR	3007	57	55	CLEAR					
02	305	3	10	CLR	3004	62	59	CLEAR					
03	305	4	10	SCT	3002	64	62	2	4000	Sc			
04	315	4	10	SCT	3000	65	63	2	4000	Sc			
05	255	4	10	SCT	29.99	65	63	3	4000	Sc			
06	245	4	10	SCT	29.99	65	63	3	4000	Sc			
07	240	5	9	BKN	30.01	65	63	6	3500	Sc			
08	240	7	8	BKN	30.03	67	64	9	3000	Sc			
09	235	5	8	BKN	30.02	68	65	8	3000	Sc C_1			
10	240	6	8	BKN	30.01	71	68	9	3000	Sc C_1			
11	245	5	8	SCT	30.00	74	70	5	3000	Sc C_1			
12	245	5	8	SCT	29.96	76	72	5	4000	Sc C_1			
13	240	5	8	SCT	29.93	77	70	5	4000	Sc C_1			
14	240	4	8	SCT	29.93	77	71	4	3000	Sc			
15	240	5	8	SCT	29.92	78	71	4	3000	Sc			
16	240	3	8	SCT	29.91	78	71	5	4000	Sc			
17	235	3	8	SCT	29.91	78	71	5	4000	Sc			
18	—	0	8	SCT	29.91	77	69	5	4000	Sc			
19	—	0	8	SCT	29.91	77	69	5	4000	Sc			
20	—	0	8	SCT	29.89	72	68	5	4000	Sc			
21	210	5	10	BKN	29.86	68	65	6	4000	Sc			
22	210	6	10	SCT	29.84	68	65	5	4000	Sc			
23	210	10	10	SCT	29.81	67	65	5	4000	Sc			
24	210	10	10	SCT	29.79	68	65	5	4000	Sc			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

0

FUEL CONSUMED 0000-2400

0

REMARKS

00-04 MOORED IN A NEST OF TWO SHIPS AT PIER TANGO BERTH TWO, U.S. NAVAL STATION, CHARLESTON, S.C. WITH U.S.S. NOTABLE (MSO-469) MOORED OUTBOARD TO PORT. SOPA IS E.B. GRANTHAM, RADM, USN, COMINCLANT. SHIPS PRESENT INCLUDE UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER.

D.A. King
Ltjg USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED CREW AT QUARTERS, ABSENTEES: NONE.

D.A. King
Ltjg USNR

APPROVED: _____ LT U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ADELITE, (MSO 519) MONDAY, 9 MARCH (Day) (Date) (Month), 19 64

0800-1200 MOORED AS BEFORE, 0810 MUSTERED THE CREW AT QUARTERS, ABSENTEES NONE 1000 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

J. Brennan
LCDR USN

1200-1600 MOORED AS BEFORE

J. Brennan
LCDR USN

1600-2000 MOORED AS BEFORE

J. Brennan
LCDR USN

2000-2400 MOORED AS BEFORE

J. Brennan
LCDR USN

APPROVED: J. Hollinger 2F

U.S.N. COMMANDING

EXAMINED: J. Brennan LCDR USN

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE TUESDAY (Day) 10 (Date) MARCH (Month), 19 64

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	215	4	10	SCT	2999	59	51	2	2500	Cu			
02	215	5	10	SCT	2996	62	59	2	2500	Cu			
03	210	4	8	SCT	2993	64	62	4	3000	Sc			
04	210	4	8	SCT	2990	66	64	4	3000	Sc			
05	215	4	8	SCT	2988	66	64	4	3000	Sc			
06	215	5	8	SCT	2985	67	64	4	3000	Sc			
07	235	15	8	SCT	2982	67	64	3	2500	Cu			
08	235	20	8	SCT	2980	70	67	5	2000	Cu			
09	240	18	10	SCT	2978	72	66	4	2500	Cu			
10	240	18	10	SCT	2975	74	65	2	2500	Cu			
11	270	21	10	CLR	2974	78	66	CLEAR					
12	260	22	10	CLR	2974	78	66	CLEAR					
13	270	18	10	CLR	2975	77	64	CLEAR					
14	245	18	10	CLR	2974	74	62	CLEAR					
15	260	12	10	CLR	2973	72	60	CLEAR					
16	270	10	10	CLR	2974	72	60	CLEAR					
17	265	10	10	CLR	2976	68	60	CLEAR					
18	270	8	10	CLR	2978	67	59	CLEAR					
19	270	4	10	CLR	2980	65	59	CLEAR					
20	270	5	10	CLR	2983	63	60	CLEAR					
21	255	5	10	CLR	2986	62	59	CLEAR					
22	260	6	10	CLR	2990	60	56	CLEAR					
23	255	4	10	CLR	2991	60	56	CLEAR					
24	255	5	10	CLR	2995	56	53	CLEAR					

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED IN A NEST OF TWO SHIPS AT PIER TANGO BERTH TWO, U.S. NAVAL STATION, CHARLESTON, S.C., WITH U.S.S. NOTABLE, (MSO 460) OUTBOARD TO PORT WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA IS E.B. GRANTHAM, RADM., USN, COMMLANT, SHIPS PRESENT INCLUDE UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER; SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET

J. Greenway
(OOD) USN

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS, ABSENTEES: NONE.

J. Greenway
(OOD) USN

APPROVED: J. H. Ellinger AT U.S.N. COMMANDING

EXAMINED: J. Greenway (OOD) U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (AS0-519) TUESDAY 10 MARCH 64
(Day) (Date) (Month) 19

0S-12 MOORED AS BEFORE. 0842 SET SPECIAL SEA DETAIL. 0857 U.S.S. NOTABLE UNDERWAY FROM PORTSIDE DERG PLANT. CAPTAIN AND NAVIGATOR ON BRIDGE. 0908 UNDERWAY DERG PLANT. 0925 MOORED OUTBOARD U.S.S. NOTABLE, STARBOARD SIDE TO AT PIER TANGO BERTH TWO BRAVO. 0942 SECURED SEA DETAIL. 1121 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL.

J. A. King
LT, USN

12-16 MOORED AS BEFORE.

J. A. King
LT, USNR

16-20 MOORED AS BEFORE.

J. A. King
LT, USNR

20-24 MOORED AS BEFORE.

J. A. King
LT, USNR

APPROVED:

U.S.N. COMMANDING

EXAMINED:

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE WEDNESDAY (Day) 11 (Date) MARCH (Month), 19 64

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	270	4	10	CLR	2997	54	49	CLEAR					
02	270	5	10	CLR	2998	52	48	CLEAR					
03	275	3	10	SCT	2999	50	47	3	3000	ST C1			
04	275	3	10	SCT	3000	47	43	3	3000	ST C1			
05	265	5	10	SCT	3001	44	40	4	3000	ST C1			
06	270	5	8	BKN	3002	44	40	7	2000	Sc C1			
07	270	5	8	BKN	3005	46	42	7	2000	Sc C1			
08	245	4	8	BKN	3008	51	46	8	2000	Sc Ac			
09	215	2	8	BKN	3010	54	50	8	2000	Sc Ac			
10	175	3	8	BKN	3012	60	55	8	2000	Sc Ac			
11	180	2	8	BKN	3011	59	53	9	2000	Sc Ac			
12	180	3	10	BKN	3012	59	54	8	2500	Sc Ac			
13	165	4	10	BKN	3012	61	55	9	3000	Sc Ac			
14	160	4	10	BKN	3010	61	55	8	3000	Sc Ac			
15	160	5	10	BKN	3009	60	54	8	3000	Sc Ac			
16	170	8	10	BKN	3011	60	54	8	3000	Sc Ac			
17	170	7	10	BKN	3013	59	53	7	3500	Cu Ac			
18	175	7	10	SCT	3015	57	53	3	4000	Cu Ac			
19	145	8	10	SCT	3015	57	54	2	6500	Ac			
20	150	8	10	SCT	3014	54	50	2	6500	Ac			
21	150	4	10	SCT	3013	54	50	2	6500	Ac			
22	145	4	10	CLR	3012	53	49	CLEAR					
23	145	2	10	CLR	3010	52	49	CLEAR					
24	—	0	10	CLR	3008	51	48	CLEAR					

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 0

REMARKS

00-04 MOORED IN A NEST OF TWO SHIPS AT PIER TANGO BERTH TWO AT U.S. NAVAL STATION, CHARLESTON, S.C. WITH U.S.S. NOTABLE (MSO-460) INBOARD TO STARBOARD. SOPA IS E.B. GRANTHAM, REAR, USN, COMINCLANT. SHIPS PRESENT INCLUDE UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. SHIP IS RECEIVING MISCELLANEOUS SERVICES FROM PIER. SHIP IS IN CONDITION OF READINESS D WITH MATERIAL CONDITION YOKE SET.

J.R. King
LT, USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED CREW AT QUARTERS, ABSENTEES: NONE.

J.R. King
LT, USNR

APPROVED: J. Kerrigan LT U.S.N. COMMANDING

EXAMINED: J. Brennan LCDR U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) WEDNESDAY (Day) 11 (Date) MARCH (Month), 1964

08-12 MOORED AS BEFORE. 11 15 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

J. Brennan
2d Lt USA

12-16 MOORED AS BEFORE.

J. Brennan
2d Lt USA

16-20 MOORED AS BEFORE.

J. Brennan
2d Lt USA

20-24 MOORED AS BEFORE.

J. Brennan
2d Lt USA

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: J. Brennan 2d Lt USA U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE THURSDAY (Day) 12 (Date) MARCH (Month), 19 64

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	0	10	CLR	30.06	50	48	CLEAR					
02	—	0	10	CLR	30.05	50	48	CLEAR					
03	—	0	10	CLR	30.03	50	48	CLEAR					
04	—	0	10	CLR	30.02	50	48	CLEAR					
05	275	2	8	SCT	3001	49	47	2	2000	ST			
06	270	2	3	H	3002	48	46	3	1000	ST			
07	—	0	4	H	3004	50	47	3	1000	ST			
08	—	0	8	SCT	3005	55	52	2	2000	ST			
09	—	0	8	CLR	3005	59	54	CLEAR					
10	270	2	8	CLR	3006	66	61	CLEAR					
11	—	0	8	CLR	3005	70	63	CLEAR					
12	—	0	8	SCT	3003	72	62	3	20000	C,			
13	300	3	10	SCT	3000	74	62	4	20000	C,			
14	300	3	10	SCT	2998	75	61	3	20000	C,			
15	290	4	10	SCT	2996	74	60	3	20000	C,			
16	290	3	10	SCT	2993	72	59	3	20000	C,			
17	290	3	10	SCT	2994	72	60	2	20000	C,			
18	285	3	10	SCT	2996	71	60	3	20000	C,			
19	290	3	10	SCT	2998	69	58	3	20000	C,			
20	290	4	10	SCT	3000	63	57	2	20000	C,			
21	300	4	10	CLR	3001	62	55	CLEAR					
22	315	3	10	CLR	3002	59	53	CLEAR					
23	300	3	10	CLR	3002	57	52	CLEAR					
24	310	3	10	CLR.	3004	57	52	CLEAR					

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED IN A NEST OF TWO SHIPS AT PIER TANGO BERTH TWO AT US NAVAL STATION, CHARLESTON, SC. WITH USS NOTABLE MSO(460) INBOARD TO STARBOARD. SOPA CS E B GRANTHAM, RADM USN COMINCHANT, SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US ATLANTIC FLEET AND MISCELLANEOUS YARD AND DISTRICT CRAFT. SHIPS RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS 4 WITH MATERIAL CONDITION YOKE SET.

[signature] LT(jg) USN

04-08 MOORED AS BEFORE. 0745 MUSTERED CREW AT QUARTERS, ABSENTEES; NONE.

[signature] LT(jg) USN

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: [signature] LT(jg) U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) THURSDAY / 12 (Day) (Date) MARCH (Month), 19 64

08-12 MOORED AS BEFORE. 1033 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

J. A. King
LT, USNR

12-16 MOORED AS BEFORE.

J. A. King
LT, USNR

16-20 MOORED AS BEFORE.

J. A. King
LT, USNR

20-24 MOORED AS BEFORE.

J. A. King
LT, USNR

APPROVED: EXAMINED:

U.S.N. COMMANDING U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE FRIDAY (Day) 13 (Date) MARCH (Month), 19 64

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	300	2	10	CLR	3005	57	52	CLEAR					
02	300	3	10	CLR	3008	57	52	CLEAR					
03	290	2	10	CLR	3010	57	52	CLEAR					
04	300	2	10	CLR	3013	55	50	CLEAR					
05	290	2	10	CLR	3015	54	50	CLEAR					
06	290	3	10	CLR	3018	54	50	CLEAR					
07	—	0	10	CLR	3020	58	52	CLEAR					
08	175	5	10	SCT	3022	58	52	2	20000	C_1			
09	185	6	10	SCT	3021	58	52	2	20000	C_1			
10	180	6	10	SCT	3023	57	52	3	20000	C_1			
11	185	6	10	SCT	3023	58	52	2	20000	C_1			
12	190	10	10	SCT	3022	58	52	2	20000	C_1			
13	190	10	10	SCT	3021	57	52	2	20000	C_1			
14	185	12	10	SCT	3021	57	53	2	20000	C_1			
15	185	12	10	SCT	3020	57	52	2	20000	C_1			
16	210	8	10	SCT	3020	56	51	2	20000	C_1			
17	200	6	10	SCT	3019	56	51	2	20000	C_1			
18	210	4	8	SCT	3019	54	50	3	10000	$Ac\,C_1$			
19	210	2	8	SCT	3020	53	50	3	8000	$Ac\,C_1$			
20	200	2	8	SCT	3020	53	50	3	8000	$Ac\,C_1$			
21	215	3	8	SCT	3020	53	51	4	8000	$Ac\,C_1$			
22	215	2	8	SCT	3020	52	50	3	8000	$Ac\,C_1$			
23	210	3	8	SCT	3018	51	50	4	8000	$Ac\,C_1$			
24	210	3	8	SCT	3016	49	47	4	8000	$Ac\,C_1$			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED IN A NEST OF TWO SHIPS AT PIER ZANGO BERTH TWO, U.S. NAVAL STATION, CHARLESTON, S.C. WITH USS NOTABLE (MSO 439) INBOARD TO STARBOARD. SOPA IS E.B. GRANTHAM, CAPT, USN, COMMUNICANT. SHIPS PRESENT INCLUDE UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET.

J.A. King
LT, USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES NONE.

J.A. King
LT, USNR

APPROVED: T. Hollinger LT U.S.N. COMMANDING

EXAMINED: [illegible] U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO519) FRIDAY (Day) 13 (Date) MARCH (Month), 19 64

08-12 MOORED AS BEFORE, COMMENCED OFFLOADING AMMUNITION 0947 COMPLETED OFFLOADING AMMUNITION.

(Illegible) USN

12-16 MOORED AS BEFORE.

(Illegible) USN

16-20 MOORED AS BEFORE, 1745 OIL BARGE ALONGSIDE TO PORT COMMENCED OFFLOADING FUEL. 1900 COMPLETED OFFLOADING FUEL.

(Illegible) USN

20-24 MOORED AS BEFORE.

(Illegible) USN

APPROVED:

(Illegible) U.S.N. COMMANDING

EXAMINED:

(Illegible) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE SATURDAY (Day) 14 (Date) MARCH (Month), 19 64

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	210	2	8	SCT	30.16	49	47	4	7500	Ac Ci			
02	210	1	8	SCT	30.16	50	48	4	4000	Sc Ci			
03	—	0	8	SCT	30.15	51	49	4	3500	Sc Ci			
04	165	2	8	SCT	30.14	55	53	4	3500	Sc Ci			
05	170	3	8	SCT	30.13	58	56	5	3000	Sc Ac			
06	170	3	6	BKN	30.14	60	58	8	2000	Sc As			
07	160	3	6	OVC	30.15	60	58	10	2000	Sc As			
08	145	4	6	OVC	30.17	62	60	10	2000	Sc As			
09	145	4	6	OVC	30.16	63	61	10	2000	Sc As			
10	155	4	6	OVC	30.17	66	63	10	2000	Sc As			
11	145	5	6	OVC	30.15	68	65	10	2000	Sc As			
12	145	5	6	OVC	30.13	70	67	10	2000	Sc As			
13	160	8	6	OVC	30.12	74	71	10	2000	Sc As			
14	150	12	6	OVC	30.10	74	71	10	2000	Sc As			
15	150	8	8	OVC	30.07	73	70	10	3500	Sc Ac			
16	235	10	8	OVC	30.04	72	70	10	3500	Sc Ac			
17	230	8	8	OVC	30.02	70	68	10	3500	Sc Ac			
18	265	6	8	OVC	30.02	69	65	10	3500	Sc			
19	265	6	8	OVC	30.00	68	64	10	3500	Sc			
20	270	7	8	OVC	30.00	68	64	10	3000	St			
21	265	6	8	OVC	29.97	67	63	10	3000	St			
22	265	8	8	OVC	29.95	66	63	10	3000	St			
23	245	8	8	OVC	29.94	65	63	10	3000	St			
24	245	8	8	OVC	29.92	65	63	10	3000	St			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

ØØ-Ø4 MOORED IN A NEST OF TWO SHIPS AT PIER TANGO, BERTH TWO, U.S. NAVAL STATION, CHARLESTON, S.C. WITH U.S.S. NOTABLE (MSO-468) INBOARD TO STARBOARD. SOPA IS E.B. GRANTHAM, RADM, USN, COMINLANT. SHIPS PRESENT INCLUDE UNITS OF U.S. ATLANTIC FLEET, PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM PIER. SHIPS IN CONDITION OF READINESS I WITH MATERIAL CONDITION YOKE SET.

J. [illegible] (Ltjg) USN

Ø4-Ø8 MOORED AS BEFORE. Ø745. MUSTERED CREW ON STATION, ABSENTEES, NONE

J. [illegible] (Ltjg) USN

APPROVED: _____ LT U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SATURDAY (Day) 14 (Date) MARCH (Month) 1964

0800-1200 MOORED AS BEFORE. 1000 COMMENCED CHANGE OF COMMAND CEREMONY WHERE C.A. HERBERT, CDR, USN, COMINDIV 5 WAS RELIEVED BY W.E. FOWLER, CDR, USN. 1003 CEREMONY COMPLETED, COMINDIV 56 PENNANT BROKEN IN ABILITY.

J.H. Craig
LTJG USNR

1200-1600 MOORED AS BEFORE.

J.H. Craig
LTJG USNR

1600-2000 MOORED AS BEFORE.

J.H. Craig
LTJG USNR

2000-2400 MOORED AS BEFORE.

J.H. Craig
LTJG USNR

APPROVED: J.H. Craig LT U.S.N. COMMANDING

EXAMINED: J.H. Craig LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE SUNDAY (Day) 15 (Date) MARCH (Month), 19 64

AT/~~PASSAGE~~ FROM CHARLESTON S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	240	10	8	ovc	2990	65	63	10	3000	ST			
02	240	10	8	ovc	2989	64	63	10	3000	ST			
03	235	8	7	ovc	2989	65	63	10	2000	ST			
04	240	10	6	ovc	2990	66	64	10	2000	ST			
05	240	10	6	ovc	2989	66	65	10	2000	ST			
06	210	6	4	ovc	2990	65	64	10	1500	ST As			
07	210	5	4	ovc	2990	65	63	10	1500	ST As			
08	210	8	3	ovc	2991	66	64	10	1500	ST As			
09	215	10	3	ovc	2993	68	65	10	1500	ST As			
10	225	12	3	ovc	2992	68	65	10	1500	ST As			
11	240	10	2	H	2991	68	65	10	1000	ST			
12	245	10	2	H	2990	69	63	10	1000	ST			
13	240	8	5	ovc	2989	70	68	10	1500	ST As			
14	240	7	5	ovc	2988	71	70	10	1500	ST As			
15	235	6	5	ovc	2987	73	71	10	1500	ST As			
16	245	5	1	R	2986	73	72	10	1000	Ns			
17	240	6	3	RW	2987	68	66	10	1000	Ns			
18	240	3	3	R	2987	66	65	10	1000	Ns			
19	250	13	5	ovc	2989	65	63	10	1500	ST As			
20	240	8	6	ovc	2991	67	65	10	1500	ST As			
21	240	5	8	ovc	2993	67	65	10	1500	ST As			
22	225	14	8	RW	2996	65	64	10	2000	Ns As			
23	178	17	8	ovc	2999	65	63	10	2500	Sc As			
24	180	16	8	ovc	3004	67	64	10	2500	Sc As			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

~~00~~-04 MOORED IN A NEST OF TWO SHIPS AT PIER NINE BERTH TWO, U.S. NAVAL STATION, CHARLESTON, S.C. WITH U.S.S. NOTABLE (MSO-464) INBOARD TO STARBOARD. SOPA IS E.B. GRANTHAM, RADM, USN, COMINLANT. SHIPS PRESENT INCLUDE UNITS OF U.S. ATLANTIC FLEET AMS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

J.H. King
LT(jg) USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED CREW ON STATION: ABSENTEES NONE.

J.H. King
LT(jg) USNR

APPROVED: _____ LT U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP HAICITY MSO-519 Sunday (Day) 15 (Date) MARCH (Month), 19 64

0800-1200 MOORED AS BEFORE. 1400 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

B F Day Jr
LTJG USNR

1200-1600 MOORED AS BEFORE.

B F Day Jr
LTJG USNR

1600-2000 MOORED AS BEFORE.

B F Day Jr
LTJG USNR

2000-2400 MOORED AS BEFORE.

B F Day Jr
LTJG USNR

APPROVED: J Hellwege LT

U.S.N. COMMANDING

EXAMINED: D Meermans ENS

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE MONDAY (Day) 16 (Date) MARCH (Month), 19 64

AT/PASSAGE FROM CHARLESTON, S.C. TO DET YENS SHIPYARD, CAINHOY, S.C.
DETYENS

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	175	14	8	BKN	3006	66	65	8	3000	Sc As			
02	030	4	8	SCT	3007	57	54	4	3500	Sc			
03	—	0	10	CLR	3008	53	50	CLEAR					
04	—	0	10	CLR	3010	50	47	CLEAR					
05	—	0	10	CLR	3013	49	47	CLEAR					
06	350	01	10	CLR	3014	47	44	CLEAR					
07	020	4	10	SCT	3017	46	43	3	20000	Cc			
08	045	6	10	SCT	3019	51	48	2	20000	Cc			
09	050	8	10	SCT	3020	54	48	2	20000	Cc			
10	045	10	10	SCT	3021	56	49	2	20000	Ci			
11	045	12	10	SCT	3022	60	50	2	20000	Ci			
12	050	10	10	SCT	30.22	63	52	2	20000	Ci			
13	050	8	10	SCT	30.20	66	55	2	20000	Ci			
14	070	5	10	SCT	3019	63	53	4	8500	Ac Ci			
15	090	3	10	SCT	30.16	60	50	4	8500	Ac Ci			
16	085	3	10	SCT	3013	61	51	3	8500	Ac Ci			
17	095	3	10	SCT	30.11	59	50	4	8500	Ac Ci			
18	090	3	10	SCT	30.11	57	50	3	10000	Ac Ci			
19	090	3	10	SCT	30.10	56	51	2	20000	Ci			
20	090	2	10	SCT	30.10	54	50	3	20000	Ci			
21	—	0	10	SCT	30.10	53	50	3	20000	Ci			
22	—	0	10	SCT	30.10	51	48	2	20000	Ci			
23	—	0	10	SCT	30.09	50	46	4	20000	Ci			
24	—	0	10	SCT	30.09	50	47	4	20000	Ci			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
12.0

FUEL CONSUMED 0000-2400
0

REMARKS

0⌀-0⌀ MOORED STARBOARD SIDE TO USS NOTABLE (MSO 469) IN A NEST OF TWO SHIPS AT PIER "T"-2, US NAVAL BASE, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA: COMINCHAN. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICE FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

LTJG USNR

0⌀-0⌀ MOORED AS BEFORE. 0745 MUSTERED CREW AT QUARTERS. ABSENTEES NONE.

LTJG USNR

APPROVED: LT U.S.N. COMMANDING

EXAMINED: U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) MONDAY (Day) 16 (Date) MARCH (Month), 19 64

0800-1200 MOORED AS BEFORE. 0825 SET SEA DETAIL. SECURED IN PORT WATCH. 0843 CAPTAIN AND NAVIGATOR ON BRIDGE MAKING PREPARATIONS TO GET UNDERWAY FOR DETYON'S SHIPYARD ON WANDO RIVER. DRAFT AFT 11' FWD 10'5" MEAN 10'7" TONNAGE 920. PILOT ABOARD. 0903 UNDERWAY WITH TUG ON PORT QUARTER. STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO CONFORM TO CHANNEL. 1110 MOORED PORT SIDE TO PIER #1 DETYON'S SHIPYARD, CHARLESTON, SOUTH CAROLINA. 1126 SECURED SEA DETAIL. SET IN PORT WATCH. PILOT DISEMBARKED. 1145 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL.

J. A. King
LT, USNR

1200-1600 MOORED AS BEFORE. 1545 MUSTERED FIRE PARTY FOR INSTRUCTION.

J. A. King
LT, USNR

1600-2400 MOORED AS BEFORE.

J. A. King
LT, USNR

2400-0400 MOORED AS BEFORE.

J. A. King
LT, USNR

APPROVED: J. A. King, LT U.S.N. COMMANDING

EXAMINED: J. Brannon 2nd (by) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE TUESDAY (Day) 17 (Date) MARCH (Month), 19 64

AT/~~PASSAGE FROM~~ DETYENS SHIPYARD, CAINHOY, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	0	10	SCT	3007	49	47	4	20000	C_1			
02	—	0	10	SCT	3005	49	47	3	20000	C_1			
03	—	0	10	SCT	3003	49	47	4	20000	C_1			
04	—	0	10	SCT	3001	48	46	4	20000	C_1			
05	—	0	10	SCT	3000	47	44	4	20000	C_1			
06	—	0	6	SCT	3001	45	42	4	4500	ST C_1			
07	—	0	5	SCT	3001	45	42	4	4500	ST C_1			
08	320	2	8	SCT	3003	50	47	1	20000	C_1			
09	320	4	10	CLR	3002	64	59	CLEAR					
10	330	4	10	CLR	3000	73	64	CLEAR					
11	325	1	10	CLR	2997	74	64	CLEAR					
12	315	3	10	CLR	2995	73	64	CLEAR					
13	320	4	10	CLR	2993	73	63	CLEAR					
14	330	4	10	CLR	2990	73	64	CLEAR					
15	330	5	10	CLR	2987	72	62	CLEAR					
16	335	5	10	CLR	2985	72	61	CLEAR					
17	315	4	10	CLR	2984	71	60	CLEAR					
18	315	3	10	CLR	2983	70	60	CLEAR					
19	290	2	10	CLR	2983	68	60	CLEAR					
20	285	5	10	CLR	2983	64	55	CLEAR					
21	290	5	10	CLR	2984	60	54	CLEAR					
22	300	2	10	CLR	2986	56	52	CLEAR					
23	310	7	10	CLR	2985	56	51	CLEAR					
24	310	8	10	CLR	2985	56	51	CLEAR					

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

0000-0400 MOORED PORT SIDE TO PIER #1 DETYENS SHIPYARD, CAINHOY, SOUTH CAROLINA WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA IS W.E. FOWLER, CDR, USN, COMINDIVES 4 IN THIS SHIP. SHIPS PRESENT INCLUDE ONE ATF, TWO ATA, ONE USC(G). SHIP IS IN CONDITION OF READINESS II. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP HAS CONDITION YOKE SET.

J A King
LTJG USNR

0400-0800 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES NONE.

J A King
LTJG USNR

APPROVED: J H Mellinger LT U.S.N. COMMANDING

EXAMINED: J H Mellinger (1964) U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) TUESDAY (Day), 17 (Date) MARCH (Month), 19 64

0800-1200 MOORED AS BEFORE

J Brennan
LT(jg) USN

1200-1600 MOORED AS BEFORE

J Brennan
LT(jg) USN

1600-2000 MOORED AS BEFORE

J Brennan
LT(jg) USN

2000-2400 MOORED AS BEFORE

J Brennan
LT(jg) USN

APPROVED: J Kerlinger LT U.S.N. COMMANDING

EXAMINED: J Brennan LT(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE WEDNESDAY (Day) 18 (Date) MARCH (Month), 19 64

AT/PASSAGE FROM DETYENS SHIPYARD, CAINHOY, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	290	8	10	CLR	29.84	56	50	CLEAR					
02	210	6	10	CLR	29.83	54	48	CLEAR					
03	215	5	10	CLR	29.84	53	46	CLEAR					
04	220	3	10	CLR	29.85	51	46	CLEAR					
05	240	3	10	CLR	29.88	51	45	CLEAR					
06	250	5	10	CLR	29.90	49	42	CLEAR					
07	270	5	10	CLR	29.91	56	46	CLEAR					
08	295	3	10	CLR	29.93	57	52	CLEAR					
09	300	5	10	CLR	29.91	64	56	CLEAR					
10	305	8	10	CLR	29.92	73	60	CLEAR					
11	295	8	10	CLR	29.92	70	57	CLEAR					
12	290	8	10	CLR	29.91	70	57	CLEAR					
13	300	7	10	CLR	29.91	70	58	CLEAR					
14	300	10	10	CLR	29.90	70	59	CLEAR					
15	275	10	10	CLR	2990	71	59	CLEAR					
16	290	10	10	CLR	29.92	70	58	CLEAR					
17	290	5	10	CLR	29.94	70	58	CLEAR					
18	285	2	10	CLR	2996	66	56	CLEAR					
19	290	1	10	CLR	2999	61	55	CLEAR					
20	—	0	10	CLR	3001	56	52	CLEAR					
21	—	0	10	CLR	3003	54	51	CLEAR					
22	—	0	10	CLR	3005	53	49	CLEAR					
23	—	0	10	CLR	3008	51	44	CLEAR					
24	—	0	10	CLR	3010	51	44	CLEAR					

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED PORT SIDE TO PIER #1 DETYENS SHIPYARD CAIN HOY, S.C. WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA IS W. E. FOWLER, COR. USN COMMDIV 85, IN THIS SHIP. SHIPS PRESENT INCLUDE ONE ATF, TWO ATA, ONE MSC(O). SHIP IS IN CONDITION OF READINESS V. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP HAS CONDITION YOKE SET.

J. Fleming Ens USN

04-08 MOORED AS BEFORE. MUSTERED CREW AT QUARTERS, ABSENTEES, NONE.

J. Fleming Ens USN

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: J. Fleming 18(aa) U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY MSO-519 WEDNESDAY (Day) 18 (Date) MARCH (Month), 19 64

08-12 MOORED AS BEFORE. ~~0900 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES.~~ CONDITIONS NORMAL. 1130 SET SPECIAL SEA DETAIL. TAKING TUG AND PILOT TO MOVE TO DRYDOCK. 1158 UNDERWAY TO ENTER DRYDOCK. 1163 STERN PASSED OVER SILL OF DOCK. 1170 COMMENCED PUMPING WATER OUT OF DOCK. 1121 SECURED SPECIAL SEA DETAIL.

[signature]
LTJG USNR

12-16 MOORED AS BEFORE. 1230 SET SPECIAL SEA DETAIL. COMMENCED FLOODING DRY DOCK. 1232 COMMENCED MOVING OUT OF DRYDOCK. 1235 SHIP CLEAR OF DRYDOCK. 1240 MOORED PORT SIDE TO PIER. SECURED SEA DETAIL. SET REGULAR INPORT WATCH.

[signature]
LTJG USNR

16-20 MOORED AS BEFORE.

[signature]
LTJG USNR

20-24 MOORED AS BEFORE.

[signature]
LTJG USNR

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: [signature] LT (jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE THURSDAY (Day) 19 (Date) MARCH (Month), 19 64

AT/PASSAGE FROM DETYEN'S SHIPYARD, CAINHOY, S.C. TO DETYEN'S DRYDOCK NO.4, CAINHOY, S.C.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	0	10	CLR	30.12	50	43	CLEAR					
02	290	1	10	CLR	30.13	48	43	CLEAR					
03	310	1	10	SCT	30.15	48	43	2	20000	C_i			
04	315	4	10	SCT	30.15	49	46	2	20000	C_i			
05	015	6	10	SCT	30.17	47	44	2	20000	C_i			
06	020	6	10	SCT	30.18	45	42	2	20000	C_i			
07	015	4	10	SCT	30.19	45	42	3	20000	C_i			
08	020	3	10	SCT	30.20	48	45	3	20000	C_i			
09	015	3	10	SCT	30.21	50	47	4	8000	$As\ C_i$			
10	010	3	10	BKN	30.21	58	49	7	6600	$As\ C_i$			
11	010	2	10	BKN	30.20	60	49	8	6500	$As\ C_i$			
12	265	3	10	OVC	30.18	60	49	10	6500	As			
13	275	4	8	OVC	30.17	60	50	10	6500	As			
14	280	6	8	OVC	30.15	59	50	10	6500	As			
15	280	6	8	OVC	30.13	58	50	10	6500	As			
16	280	4	8	OVC	30.12	56	48	10	6500	As			
17	275	3	8	OVC	30.10	54	47	10	6500	As			
18	285	4	8	OVC	3009	53	47	10	4000	ST			
19	285	3	8	OVC	3009	52	47	10	3000	ST			
20	280	3	8	OVC	3008	53	48	10	3000	ST			
21	280	3	8	OVC	3006	52	48	10	3000	ST			
22	280	3	8	OVC	3005	52	49	10	3000	ST			
23	270	3	8	OVC	3003	50	47	10	3000	ST			
24	270	4	8	R	3002	50	48	10	2000	NS			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

0000-0400 MOORED PORT SIDE TO PIER AT DETYEN'S SHIPYARD, CAINHOY, S.C. WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA: COMINDIV 8 IN THIS SHIP. SHIPS PRESENT OTHER US NAVY CRAFT. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER.

F. J. [illegible] Jr.
LTJG USNR

0400-0800 MOORED AS BEFORE. 0745 MUSTERED CREW AT QUARTERS. ABSENTEES NONE.

F. J. [illegible] Jr.
LTJG USNR

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY, (MSO-519) THURSDAY (Day) 19 (Date) MARCH (Month), 1964

0800-1200 MOORED AS BEFORE. 1045 SET SPECIAL SEA DETAIL. TAKING TUG AND PILOT TO MOVE TO DRY DOCK. 1054 UNDERWAY TO ENTER DRY DOCK. 1059 STERN PASSED OVER SILL OF DOCK. 1113, COMMENCED PUMPING WATER OUT OF DOCK. 1140 SECURED SPECIAL SEA DETAIL.

J. Mennes
LCDR USN

12-16, DRY DOCKED AS BEFORE.

J. Mennes
LCDR USN

16-20 DRY DOCKED AS BEFORE.

J. Mennes
LCDR USN

20-24, DRY DOCKED AS BEFORE

J. Mennes
LCDR USN

APPROVED: J. Hellinger LT U.S.N. COMMANDING

EXAMINED: J. Mennes LCDR USN U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE FRIDAY (Day) 20 (Date) MARCH (Month), 19 64

AT/~~PASSAGE FROM~~ DETYENS DRYDOCK No. 4, CAINHOY, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	280	4	6	R	3000	51	48	10	2000	Ns			
02	275	4	4	R	2998	51	49	10	2000	Ns			
03	285	4	4	R	2997	51	49	10	2000	Ns			
04	285	5	6	ovc	2997	54	52	10	2000	ST			
05	280	7	6	ovc	2995	55	52	10	2000	ST			
06	280	7	6	ovc	2993	57	55	10	2000	ST			
07	280	7	4	RW	29.92	57	55	10	2000	Ns			
08	270	6	6	RW	29.92	59	57	10	2000	Ns			
09	270	6	6	RW	29.91	62	60	10	2000	Ns As			
10	275	4	3	R	29.90	63	61	10	1000	Ns As			
11	270	3	4	R	29.88	65	64	10	1000	Ns As			
12	270	3	5	RW	29.87	62	61	10	1500	Ns As			
13	275	3	5	RW	29.86	60	59	10	2000	Ns As			
14	285	4	5	R	2984	57	56	10	2000	Ns As			
15	285	3	6	ovc	2983	57	56	10	2000	ST As			
16	270	3	6	ovc	2982	57	55	10	2000	ST As			
17	270	3	6	ovc	29.80	56	54	10	2000	Sc As			
18	280	4	6	ovc	29.79	56	54	10	2000	Sc As			
19	280	3	6	ovc	29.79	54	52	10	2500	Sc As			
20	275	4	6	ovc	29.77	49	47	10	2500	Sc As			
21	285	3	6	ovc	29.75	47	46	10	2500	Sc As			
22	275	3	6	ovc	29.74	47	45	10	2500	Sc As			
23	275	5	6	ovc	29.72	46	44	10	2500	Sc As			
24	275	4	6	ovc	29.72	46	44	10	2500	Sc As			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

ØØ-Ø4 RESTING ON KEEL BLOCKS IN DRY DOCK #1 DETYENS SHIPYARD, CAIN HOY, S.C. SOPA IS W.E. FOWLER, CDR, USN, COMINDIV 85 IN THIS SHIP. OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. NAVY. RECEIVING MISCELLANEOUS SERVICES FROM THE DOCK. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET,

J. Flemming (Offg) USN

Ø4-Ø8. DRY DOCKED AS BEFORE. Ø745 MUSTERED CREW ON STATION. ABSENTEES NONE,

J. Flemming (Offg) USN

APPROVED: _____ LT U.S.N. COMMANDING

EXAMINED: J. Flemming (Offg) U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABLETY MSO-519 FRIDAY (Day) 30 (Date) MARCH (Month), 19 6X

8-12 DRYDOCKED AS BEFORE. ~~090~~

B J Daly Jr
LTJG USNR

12-16 DRYDOCKED AS BEFORE.

B J Daly Jr
LTJG USNR

16-~~20~~ DRYDOCKED AS BEFORE.

B J Daly Jr
LTJG USNR

~~20~~-24 DRYDOCKED AS BEFORE.

B J Daly Jr
LTJG USNR

APPROVED: T Kennedy LT U.S.N. COMMANDING

EXAMINED: T Brennan CDR U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE SATURDAY (Day) 21 (Date) MARCH (Month), 19 64

AT/~~PASSAGE FROM~~ DETYEN'S DRYDOCK No. 4, CAINHOY, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	275	3	6	OVC	29.73	45	43	10	2500	Sc As			
02	260	3	6	OVC	29.75	44	43	10	2500	Sc As			
03	260	4	6	OVC	29.76	44	43	10	2000	Sc As			
04	245	3	6	OVC	29.78	44	43	10	2000	Sc As			
05	245	3	6	OVC	29.79	44	43	10	2000	Sc As			
06	240	3	4	H	29.80	44	43	10	1500	ST			
07	245	3	1	F	29.82	46	44	OBSCURED					
08	080	3	2	H	29.84	47	45	10	1000	ST			
09	105	4	3	H	29.86	48	47	10	1000	ST			
10	110	3	5	OVC	29.89	49	47	10	1500	ST As			
11	105	2	5	RW	29.88	50	48	10	2000	ST As			
12	110	6	4	OVC	29.90	52	50	10	2000	ST As			
13	120	8	4	OVC	29.90	53	50	10	2000	ST As			
14	120	12	4	OVC	29.89	55	51	10	2000	ST As			
15	125	8	6	OVC	29.85	55	52	10	3000	Sc As			
16	115	6	6	OVC	29.83	55	52	10	3000	Sc As			
17	120	6	6	OVC	29.83	54	51	10	3000	Sc As			
18	115	6	6	OVC	29.81	54	50	10	3000	Sc As			
19	115	6	6	OVC	29.81	54	49	10	3000	Sc As			
20	115	7	7	OVC	29.82	54	49	10	3000	Sc As			
21	120	8	7	OVC	29.82	53	48	10	4500	Sc As			
22	125	7	8	BKN	29.84	53	48	8	4500	Cu As			
23	120	6	10	SCT	29.86	53	48	4	4500	Cu			
24	120	4	10	SCT	29.90	52	47	3	4500	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 RESTING ON KEEL BLOCKS IN DRYDOCK #1 DETYEN'S SHIPYARD, CAIN HOY, S.C.. SOPA: COMINCHU 85 IN THIS SHIP. OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF US NAVY. RECEIVING MISCELLANEOUS SERVICES FROM THE DOCK. SHIP IS IN CONDITION OF READINESS U WITH MATERIAL CONDITION YOKE SET.

LTJG USNR

04-08 DRYDOCKED AS BEFORE. 0745 MUSTERED CREW ON STATION. ABSENTEES NONE.

LTJG USNR

APPROVED: [signature] CT U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILENE (APA-5 [illegible]) SATURDAY (Day) 23 (Date) MARCH (Month) 19 64

0800-1200 MOORED AS BEFORE. 1030 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL.

J. A. King
LT USNR

1200-1600 MOORED AS BEFORE.

J. A. King
LT USNR

1600-2000 MOORED AS BEFORE.

J. A. King
LT USNR

2000-2400 MOORED AS BEFORE.

J. A. King
LT USNR

APPROVED: J. Kettinger LT
U.S.N. COMMANDING

EXAMINED: [illegible]
U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE SUNDAY (Day) 22 (Date) MARCH (Month), 19 64

AT/~~PASSAGE FROM~~ DETYEN'S DRYDOCK No 4, CAINHOY, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	115	3	10	SCT	29.93	52	47	3	4500	Cu			
02	115	3	10	SCT	29.95	50	45	2	4500	Cu			
03	120	2	10	SCT	29.98	48	42	2	4500	Cu			
04	120	2	8	SCT	29.99	48	42	2	3000	Sc			
05	120	2	8	SCT	30.01	45	40	3	3000	Sc			
06	125	2	8	SCT	30.03	42	39	2	3000	Sc			
07	120	4	7	SCT	30.05	42	39	2	2000	ST			
08	120	4	8	SCT	30.08	44	40	2	2000	ST			
09	115	3	10	CLR	30.10	48	42	CLEAR					
10	115	2	10	CLR	30.11	51	46	CLEAR					
11	130	3	10	CLR	30.13	56	50	CLEAR					
12	125	6	10	CLR	30.13	59	51	CLEAR					
13	115	6	10	CLR	30.14	64	53	CLEAR					
14	115	6	10	CLR	30.13	63	54	CLEAR					
15	105	6	10	CLR	30.13	63	53	CLEAR					
16	105	2	10	CLR	30.11	62	53	CLEAR					
17	105	1	10	CLR	30.10	60	53	CLEAR					
18	105	1	10	CLR	30.12	60	53	CLEAR					
19	—	0	10	CLR	30.11	58	52	CLEAR					
20	—	0	10	CLR	30.12	56	51	CLEAR					
21	—	0	10	CLR	30.13	55	50	CLEAR					
22	—	0	10	CLR	30.14	50	46	CLEAR					
23	—	0	10	CLR	30.14	47	45	CLEAR					
24	—	0	10	CLR	30.16	45	42	CLEAR					

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 RESTING ON KEEL BLOCKS IN DRYDOCK #1, DETYEN'S SHIPYARD, CAINHOY, SOUTH CAROLINA RECEIVING MISCELLANEOUS SERVICES FROM THE DOCK. SOPA IS W.E. FOWLER, CDR, USN, COMINDIV 85 IN THIS SHIP. SHIPS PRESENT INCLUDE ONE ATF, TWO ATAs AND ONE MSC(O).

J.A. King
LTjg USNR

04-08 ~~MOORED AS BEFORE~~ DRYDOCKED AS BEFORE. 0745 MUSTERED THE CREW ON STATION. ABSENTEES: NONE.

J.A. King
LTjg USNR

APPROVED: _____ LT U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY, (MSO-519) SUNDAY, 22 MARCH (Day) (Date) (Month), 19 64

08-12. DRY DOCKED AS BEFORE

J. Nemmers
LTJG USN

12-16. DRY DOCKED AS BEFORE.

J. Nemmers
LTJG USN

16-20 DRY DOCKED AS BEFORE

J. Nemmers
LTJG USN

20-24. DRY DOCKED AS BEFORE

J. Nemmers
LTJG USN

APPROVED: EXAMINED:

T. Hollingsworth Jr. — U.S.N. COMMANDING

J. Nemmers LTJG — U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE MONDAY (Day) 23 (Date) MARCH (Month), 19 64

AT/~~PASSAGE~~ FROM DETYEN'S DRYDOCK No. 4, CAINHOY, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	0	8	CLR	30.19	44	42	CLEAR					
02	—	0	6	SCT	30.21	43	41	2	2000	ST			
03	—	0	5	SCT	30.23	40	39	2	2000	ST			
04	235	3	5	SCT	30.25	40	39	3	2000	ST			
05	220	3	5	SCT	30.26	39	37	2	2000	ST			
06	220	4	2	H	30.27	39	37	3	1000	ST			
07	230	5	2	H	30.27	39	37	2	1000	ST			
08	225	4	6	CLR	30.29	40	37	CLEAR					
09	235	4	8	CLR	30.30	42	38	CLEAR					
10	240	3	10	SCT	30.33	45	39	2	1500	ST			
11	235	3	10	SCT	30.32	48	41	2	1500	ST			
12	235	3	10	CLR	30.32	50	42	CLEAR					
13	245	4	10	CLR	30.30	54	43	CLEAR					
14	245	4	10	CLR	30.29	57	45	CLEAR					
15	260	3	10	CLR	30.29	59	46	CLEAR					
16	275	4	10	CLR	30.29	64	48	CLEAR					
17	265	3	10	CLR	30.28	69	48	CLEAR					
18	270	3	10	CLR	30.29	70	48	CLEAR					
19	270	4	10	CLR	30.29	68	48	CLEAR					
20	285	4	10	CLR	30.29	62	45	CLEAR					
21	270	3	10	CLR	30.28	55	44	CLEAR					
22	275	2	8	SCT	30.27	53	44	2	2000	ST			
23	270	2	8	SCT	30.26	50	43	3	2000	ST			
24	270	2	8	SCT	30.26	49	44	3	2000	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 RESTING ON KEEL BLOCKS IN DRY DOCK #1, DETYENS' SHIPYARD, CAIN HOY, S.C. RECEIVING MISCELLANEOUS SERVICES FROM THE DOCK. SOPA IS W.E. FOWLER, COR., USN, COMINDIV 85, IN THIS SHIP. SHIPS PRESENT INCLUDE ONE ATF, TWO ATA's AND ONE MSC(O). SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

[signature] LTJG USN

04-08 ~~AT~~ DRY DOCKED AS BEFORE. AT 0745 MUSTERED THE CREW AT QUARTERS, ABSENTEES, NONE.

[signature] LTJG USN

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: [signature] LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY MSO-519 Monday 23 March 64
(Day) (Date) (Month) 19

0800-1200 DRYDOCKED AS BEFORE.

B J Daly Jr
LTJG USNR

1200-1600 DRYDOCKED AS BEFORE.

B J Daly Jr
LTJG USNR

1600-2000 DRYDOCKED AS BEFORE.

B J Daly Jr
LTJG USNR

2000-2400 DRYDOCKED AS BEFORE.

B J Daly Jr
LTJG USNR

APPROVED: K Kerlinger LT
U.S.N. COMMANDING

EXAMINED: J Bollenmeyer (ASW)
U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE TUESDAY (Day) 24 (Date) MARCH (Month), 19 64

AT/~~BASSAGE~~ FROM DETYEN'S DRYDOCK No.4, CAINHOY, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	0	10	CLR	30.25	49	45	CLEAR					
02	—	0	10	CLR	30.23	48	45	CLEAR					
03	—	0	10	CLR	30.20	47	45	CLEAR					
04	—	0	10	CLR	30.18	45	43	CLEAR					
05	—	0	10	CLR	30.19	45	43	CLEAR					
06	—	0	10	CLR	30.19	50	48	CLEAR					
07	—	0	10	CLR	30.16	52	49	CLEAR					
08	280	5	8	SCT	30.20	57	55	3	3500	Sc			
09	285	4	8	SCT	30.18	59	55	4	3500	Sc			
10	300	3	7	BKN	30.15	62	57	7	3500	Sc			
11	315	3	7	BKN	30.12	64	59	8	3000	Sc			
12	310	4	7	BKN	30.10	66	60	9	3000	Sc			
13	325	5	6	OVC	3007	68	61	10	2500	Sc			
14	315	4	6	OVC	3008	68	61	10	2500	Sc			
15	320	4	6	OVC	3009	68	61	10	2500	Sc			
16	310	3	6	OVC	3010	67	61	10	2500	Sc			
17	310	3	6	OVC	3010	68	62	10	2500	Sc			
18	—	0	6	OVC	3012	65	61	10	2500	Sc			
19	—	0	6	OVC	30.14	65	61	10	2500	Sc			
20	—	0	6	OVC	30.15	64	61	10	2500	Sc			
21	—	0	6	OVC	30.17	64	61	10	2500	Sc			
22	—	0	6	OVC	30.17	63	60	10	2500	Sc			
23	325	2	6	OVC	30.18	62	60	10	2500	Sc			
24	320	2	7	OVC	30.18	60	57	10	3000	Sc			

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 RESTING ON KEEL BLOCKS IN DRYDOCK #1 DETYEN'S SHIPYARD, CAINHOY, S.C. SOPA: COMMANDER 8TH IN THIS SHIP. OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. NAVY. RECEIVING MISCELLANEOUS SERVICES FROM THE DRYDOCK. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

B J Daly Jr
LTJG USNR

04-08 DRYDOCKED AS BEFORE. 0745 MUSTERED CREW AT QUARTERS. ABSENTEES NONE.

B J Daly Jr
LTJG USNR

APPROVED: _____ LT U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY, (MSO-519) TUESDAY, 24 MARCH, 19 64
(Day) (Date) (Month)

08-12. DRY DOCKED AS BEFORE.

J. Mennuge
DK&S USN

12-16. DRY DOCKED AS BEFORE.

J. Mennuge
DK&S USN

16-20. DRY DOCKED AS BEFORE.

J. Mennuge
DK&S USN

20-24. DRY DOCKED AS BEFORE.

J. Mennuge
DK&S USN

APPROVED: EXAMINED:

[signature] LT
U.S.N. COMMANDING

J. Mennuge DK&S
U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO) 519 ZONE DESCRIPTION +5 DATE WEDNESDAY (Day) 25 (Date) MARCH (Month), 19 64

AT/~~PASSAGE FROM~~ DETYEN'S DRYDOCK No. 4, CAINHOY, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	310	2	7	OVC	30.18	60	58	10	3000	Sc			
02	—	0	7	OVC	30.18	60	58	10	3000	Sc			
03	—	0	7	OVC	30.18	60	58	10	3000	Sc			
04	—	0	7	OVC	30.17	60	58	10	3000	Sc			
05	195	1	7	OVC	30.17	61	60	10	3000	Sc			
06	310	2	6	OVC	30.17	61	59	10	2000	Sc			
07	315	2	6	OVC	30.16	61	59	10	2000	Sc			
08	320	2	6	OVC	30.16	63	61	10	2500	Sc			
09	315	2	8	OVC	30.15	65	62	10	2500	Sc			
10	315	3	8	OVC	30.13	66	64	10	2500	Sc			
11	320	4	10	OVC	30.11	69	65	10	2000	Sc			
12	320	5	10	OVC	3009	73	69	10	2000	ST As			
13	320	4	10	R	3007	70	68	10	2000	Ns			
14	320	4	10	R	3007	68	66	10	2000	Ns			
15	345	4	10	R	3008	67	65	10	2000	Ns			
16	320	4	10	R	3007	66	64	10	2000	Ns			
17	320	4	8	R	3006	65	64	10	2000	Ns			
18	315	3	6	RW	3005	65	64	10	1500	Ns As			
19	310	4	6	R	3004	64	63	10	1500	Ns			
20	310	4	6	R	3002	64	63	10	1500	Ns			
21	310	4	6	R	3000	63	62	10	1500	Ns			
22	320	4	6	R	2997	64	62	10	1500	Ns			
23	320	4	6	R	2996	64	62	10	1500	Ns			
24	315	4	6	R	2994	64	63	10	1500	Ns			

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

0000-0800. RESTING ON KEEL BLOCKS IN DRY DOCK #1, DETYENS' SHIPYARD, CAINHOY, S.C. SOPA, COMINCDIV 8 S, IN THIS SHIP. OTHER SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. NAVY, RECEIVING MISCELLANEOUS SERVICES FROM DRY DOCK. SHIP IS IN CONDITION OF READINESS I WITH MATERIAL CONDITION YOKE SET.

J. Sweeney
LT(jg) USN

0800-0800. DRY DOCKED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS, ABSENTEES, NONE.

J. Sweeney
LT(jg) USN

APPROVED: _____ LT U.S.N. COMMANDING

EXAMINED: J. Sweeney LT(jg) U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY MSO-519 WEDNESDAY (Day) 25 (Date) MARCH (Month) 19 64

08-12 DRYDOCKED AS BEFORE.

B J Day Jr
LTJG USNR

12-16 DRYDOCKED AS BEFORE.

B J Day Jr
LTJG USNR

16-20 DRYDOCKED AS BEFORE

B J Day Jr
LTJG USNR

20-24 DRYDOCKED AS BEFORE.

B J Day Jr
LTJG USNR

APPROVED: LT U.S.N. COMMANDING

EXAMINED: U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE THURSDAY (Day) 26 (Date) MARCH (Month), 19 64

AT/~~PASSAGE FROM~~ DEYTEN'S DRYDOCK No. 4, CAINHOY, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	320	4	6	R	29.92	64	62	10	1500	Ns			
02	320	3	6	R	29.90	63	62	10	1500	Ns			
03	315	3	6	R	29.88	63	62	10	1500	Ns			
04	325	4	5	R	29.85	64	63	10	1500	Ns			
05	320	6	4	R	2983	65	63	10	1000	Ns			
06	320	6	4	R	2980	64	63	10	1000	Ns			
07	315	6	4	R	2979	64	63	10	1000	Ns			
08	325	6	4	R	2977	65	63	10	1000	Ns			
09	005	6	5	R	29.75	65	64	10	1500	Ns			
10	010	6	5	R	29.75	66	64	10	1500	Ns			
11	035	6	4	R	29.74	66	64	10	1500	Ns			
12	035	4	5	R	29.74	66	65	10	1500	Ns			
13	050	3	6	RW	29.72	67	66	10	2000	Ns As			
14	110	5	6	OVC	29.71	67	65	10	2000	St As			
15	110	5	6	OVC	29.73	67	66	10	2000	St As			
16	095	7	6	OVC	29.74	65	61	10	2000	Sc As			
17	085	8	8	OVC	29.75	62	55	10	2500	Sc			
18	090	6	8	OVC	29.76	63	54	10	2500	Sc			
19	120	8	8	BKN	29.78	63	54	8	3000	Sc			
20	115	8	8	BKN	29.80	63	53	6	3000	Sc			
21	120	7	8	BKN	29.82	62	52	6	3000	Sc			
22	115	6	8	SCT	29.85	60	50	5	3000	Sc			
23	095	6	8	SCT	29.87	58	49	4	3000	Sc			
24	100	6	8	SCT	29.89	56	48	2	3000	Sc			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

0000-0400 RESTING ON KEEL BLOCKS IN DRYDOCK #1 AT DEYTENS SHIPYARD, CAINHOY, S.C. SOPA: COMINDIV 83 IN THIS SHIP. OTHER SHIPS PRESENT INCLUDE UNITS OF US NAVY. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

B B Daugherty
LTJG USNR

0400-0800 DRYDOCKED AS BEFORE. 0745 MUSTERED CREW AT QUARTERS. ABSENTEES NONE.

B B Daugherty
LTJG USNR

APPROVED: J K Lounge, LT U.S.N. COMMANDING

EXAMINED: [illegible] U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY, (MSO-519) THURSDAY (Day), 26 MARCH (Date) (Month), 19 64

08-12 DRY DOCKED AS BEFORE.

J Sherman
LT(jg) USN

12-16. DRY DOCKED AS BEFORE.

J Sherman
LT(jg) USN

16-20 DRY DOCKED AS BEFORE

J Sherman
LT(jg) USN

20-24. DRY DOCKED AS BEFORE.

J Sherman
LT(jg) USN

APPROVED: J Sherman LT
U.S.N. COMMANDING

EXAMINED: J Sherman LT(jg)
U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION 45 DATE FRIDAY (Day) 27 (Date) MARCH (Month), 19 64

AT/PASSAGE FROM DETYEN'S SHIPYARD, CAINHOY, S.C. TO CHARLESTON, S.C.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	120	6	8	SCT	29.91	55	48	4	3000	Sc			
02	120	3	8	SCT	29.92	54	47	4	3000	Sc			
03	125	6	8	SCT	29.93	52	46	4	3000	Sc			
04	145	4	8	SCT	29.95	51	46	4	3000	Sc			
05	145	4	8	SCT	29.96	50	45	3	3500	Sc			
06	160	4	8	SCT	29.98	46	42	2	4000	Sc			
07	280	2	10	CLR	30.01	44	41	CLEAR					
08	270	4	10	CLR	30.04	50	45	CLEAR					
09	245	6	10	CLR	30.06	56	48	CLEAR					
10	250	4	10	CLR	30.08	61	50	CLEAR					
11	250	4	10	CLR	30.10	61	51	CLEAR					
12	250	4	10	CLR	30.10	61	51	CLEAR					
13	245	5	10	CLR	30.10	61	51	CLEAR					
14	245	7	10	CLR	30.09	60	50	CLEAR					
15	260	7	10	CLR	30.09	60	50	CLEAR					
16	250	5	10	CLR	30.07	58	49	CLEAR					
17	250	7	8	SCT	30.05	57	48	2	8000	Ac			
18	270	6	8	SCT	30.04	56	50	4	8000	Ac			
19	275	3	8	SCT	30.02	55	50	4	7000	Ac			
20	270	3	8	SCT	30.00	56	51	5	6500	Ac			
21	270	3	7	BKN	29.99	56	51	7	6000	Sc Ac			
22	—	0	7	BKN	29.98	55	51	8	5000	Sc Ac			
23	—	0	7	BKN	29.97	54	52	9	5000	Sc As			
24	—	0	7	BKN	29.97	54	52	9	5000	Sc As			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 12.0

FUEL CONSUMED 0000–2400: 132

REMARKS

00-04 RESTING ON KEEL BLOCKS IN DRY DOCK #1 AT DETYENS' SHIPYARD, CAW HOY, S.C., SOPA IS COMINDIV 85 IN THIS SHIP. OTHER SHIPS PRESENT INCLUDE UNITS OF U.S. NAVY AND ARMY, RECEIVING MISCELLANEOUS SERVICES FROM THE DOCK. SHIP IS IN CONDITION OF READINESS II, WITH MATERIAL CONDITION YOKE SET.

J. Shemwell (USN)

04-08 DRY DOCKED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS, ABSENTEES NONE.

J. Shemwell (USN)

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: J. Shemwell (USN) U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY MSO-519 FRIDAY (Day) 27 (Date) MARCH (Month) 19 62

0800 DAYDOCKED AS BEFORE. 0823 COMMENCED FLOODING DRYDOCK. 0824 SHIP CLEAR OF KEEL BLOCKS. 0844 CLEAR OF DRYDOCK. 0848 MOORED TO PIER. 0906 SECURED SEA DETAIL. SET REGULAR INPORT WATCH.

F. B. [illegible] Jr.
LTJG USNR

12-16 MOORED AS BEFORE.

F. B. [illegible] Jr.
LTJG USNR

16-20 MOORED AS BEFORE. 1630 SET SPECIAL SEA DETAIL CAPTAIN AND NAVIGATOR ON THE BRIDGE. 1657 U.S. NAVY TUG AND PILOT ALONGSIDE. 1700 UNDERWAY FOR US NAVAL BASE, CHARLESTON, S.C. 1910 MOORED PORT SIDE TO PIER "S-3" AT US NAVAL BASE, CHARLESTON, S.C. 1922 SECURED SEA DETAIL. SET REGULAR INPORT WATCH.

F. B. [illegible] Jr.
LTJG USNR

20-24 MOORED AS BEFORE.

F. B. [illegible] Jr.
LTJG USNR

APPROVED: [signature] LT
U.S.N. COMMANDING

EXAMINED: [signature]
U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE SATURDAY (Day) 28 (Date) MARCH (Month), 19 64

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	0	7	BKN	29.98	53	50	8	5000	Sc As			
02	—	0	7	BKN	30.00	52	50	8	4500	Sc As			
03	—	0	6	BKN	30.01	50	48	9	4500	Sc As			
04	015	4	6	OVC	30.03	49	47	10	3000	Sc As			
05	020	5	6	OVC	30.04	48	46	10	3000	Sc As			
06	015	5	6	OVC	30.05	49	46	10	3000	Sc As			
07	015	5	6	OVC	30.06	50	48	10	3000	Sc As			
08	030	4	6	OVC	30.08	54	52	10	3000	Sc As			
09	030	2	7	OVC	30.08	53	53	10	3000	Sc As			
10	020	2	7	OVC	30.08	55	53	10	3000	St As			
11	020	2	7	OVC	30.08	56	54	10	2500	St As			
12	120	2	7	OVC	30.06	57	55	10	2500	St As			
13	145	1	7	R	30.04	58	57	10	2000	Ns As			
14	170	2	6	R	30.03	58	57	10	2000	Ns As			
15	175	2	6	R	30.01	58	58	10	2000	Ns As			
16	170	2	6	R	30.00	58	57	10	2000	Ns As			
17	175	2	5	R	29.98	57	56	10	1500	Ns As			
18	175	2	5	RW	29.97	56	55	9	1500	Ns As			
19	—	0	5	RW	29.96	56	55	9	1500	Ns As			
20	—	0	5	RW	29.96	56	55	8	1500	Ns As			
21	—	0	5	BKN	29.95	55	53	7	1500	St As			
22	—	0	4	BKN	29.96	55	53	7	1500	St As			
23	—	0	3	H	29.96	55	54	5	1000	St			
24	—	0	1	F	29.96	55	54	4	500	St			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 836

REMARKS

00-04 MOORED PORT SIDE TO PIER S-3 AT US NAVAL BASE, CHARLESTON S.C. WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA: COMINCHANT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

[signature]
LTJG USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED CREW ON STATION. ABSENTEES NONE.

[signature]
LTJG USNR

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SATURDAY, 28 MARCH 64
(Day) (Date) (Month) 19

0800-1200 MOORED AS BEFORE

J Brennan
LTJG USN

1200-1600 MOORED AS BEFORE

J Brennan
LTJG USN

1600-2000 MOORED AS BEFORE

J Brennan
LTJG USN

2000-2400 MOORED AS BEFORE

J Brennan
LTJG USN

APPROVED: EXAMINED:

J Blessing LT
U.S.N. COMMANDING J Brennan LTJG USN U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION 15 DATE SUNDAY (Day) 29 (Date) MARCH (Month), 19 64

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	0	1	F	29.96	55	54	OBSCURED					
02	—	0	½	F	29.96	54	53	OBSCURED					
03	—	0	½	F	29.95	55	54	OBSCURED					
04	280	3	1	F	29.95	57	57	OBSCURED					
05	285	5	3	R	29.97	58	57	10	1000	Ns			
06	285	4	5	OVC	29.98	58	56	10	2000	Sc			
07	280	4	5	OVC	29.98	58	56	10	2000	Sc			
08	290	5	6	OVC	29.99	59	56	10	3000	Sc			
09	295	10	6	BKN	29.99	62	59	7	3000	Sc			
10	315	16	8	SCT	30.01	64	61	4	3500	Cu			
11	320	16	8	SCT	30.01	65	60	2	4000	Cu			
12	320	10	8	SCT	30.02	70	60	2	4000	Cu			
13	315	12	8	SCT	30.01	70	60	2	4000	Cu			
14	315	11	8	SCT	29.99	68	60	2	4000	Cu			
15	330	10	8	SCT	29.98	66	59	3	4000	Cu			
16	325	10	8	BKN	29.96	66	57	6	3000	Cu Ac			
17	315	10	8	BKN	29.95	66	55	6	3000	Cu Ac			
18	310	8	10	SCT	29.94	63	52	4	4000	Cu Ac			
19	315	8	10	SCT	29.96	60	51	3	4000	Cu			
20	315	9	10	SCT	29.96	58	49	3	4000	Cu			
21	320	8	10	SCT	29.95	56	47	3	4000	Cu			
22	315	8	10	SCT	29.96	53	45	3	4000	Cu			
23	315	8	10	SCT	29.97	53	45	3	4000	Cu			
24	315	8	10	SCT	29.98	52	44	3	4000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 174

REMARKS

00-04 MOORED PORT SIDE TO PIER S-3 AT U.S. NAVAL BASE, CHARLESTON, S.C., WITH STANDARD MOORING LINES DOUBLED TO THE PIER. SOPA: COMINLANT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET.

[signature]
LTJG USN

04-08, MOORED AS BEFORE. 0745 MUSTERED CREW ON STATION ABSENTEES, NONE.

[signature]
LTJG USN

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: [signature] LT(jg) U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SUNDAY (Day) 29 (Date) MARCH (Month) 19 64

0800-1200 HOURS AS BEFORE. 1045 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

J. A. Klug
LT, USNR

1200-1600 HOURS AS BEFORE.

J. A. Klug
LT, USNR

1600-2000 HOURS AS BEFORE.

J. A. Klug
LT, USNR

2000-2400 HOURS AS BEFORE.

J. A. Klug
LT, USNR

APPROVED: [signature] LT
U.S.N. COMMANDING

EXAMINED: [signature]
U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE MONDAY (Day) 30 (Date) MARCH (Month), 19 64

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	310	6	7	SCT	29.97	49	44	3	4000	Cu			
02	315	6	7	SCT	29.98	48	43	3	3500	Cu			
03	315	7	7	SCT	30.00	46	40	3	3500	Cu			
04	310	8	7	SCT	30.01	46	41	3	3500	Cu			
05	310	10	7	SCT	30.03	47	42	3	3500	Cu			
06	315	15	7	SCT	30.04	49	43	4	3000	Sc			
07	315	22	7	SCT	30.06	50	41	4	2000	Sc			
08	315	28	6	SCT	30.08	49	41	3	1500	ST			
09	315	28	6	SCT	30.10	47	40	3	1500	ST			
10	320	27	7	SCT	30.11	46	39	3	1500	ST			
11	320	27	8	SCT	30.14	45	39	3	2000	ST			
12	320	26	8	SCT	30.14	46	38	3	2000	Sc			
13	310	25	8	SCT	30.15	46	38	3	2000	Sc			
14	310	15	8	SCT	30.12	46	38	2	2000	Sc			
15	315	17	8	SCT	30.12	46	38	2	2000	Sc			
16	310	15	8	SCT	30.12	46	38	3	2500	Sc			
17	310	15	8	SCT	30.12	46	39	3	2500	Sc			
18	310	17	8	SCT	30.11	46	38	3	2500	Sc			
19	310	17	8	SCT	30.11	44	37	3	2500	Sc			
20	315	14	8	SCT	30.12	44	37	2	2000	Sc			
21	275	10	8	SCT	30.12	44	38	3	2000	Sc			
22	290	10	8	SCT	30.13	42	37	3	2000	Sc			
23	300	8	8	SCT	30.13	42	38	3	2500	Sc			
24	290	11	8	SCT	30.13	42	38	3	2500	Sc			

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 395

REMARKS

00-04 MOORED PORT SIDE TO PIER SIERRA BERTH THREE, U.S. NAVAL STATION, CHARLESTON, SOUTH CAROLINA. SOPA IS CAPT E.B. GRANTHAM, USN, COMINCHART. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM PIER. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET.

J.A. Klein
LT, USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS: ABSENTEES NONE.

J.A. Klein
LT, USNR

APPROVED: _____ LT U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY, (MSO-519) MONDAY, 30 MARCH 1964
(Day) (Date) (Month) 19

0800-1200 MOORED AS BEFORE, LOG MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES.

J. Brennan
LCDR USN

1200-1600 MOORED AS BEFORE

J. Brennan
LCDR USN

1600-2000 MOORED AS BEFORE

J. Brennan
LCDR USN

2000-2400 MOORED AS BEFORE

J. Brennan
LCDR USN

APPROVED: 25

EXAMINED:

U.S.N. COMMANDING

J. Brennan LCDR USN
U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS AGILITY (MSO 519) ZONE DESCRIPTION +5 DATE TUESDAY (Day) 31 (Date) MARCH (Month), 19 64

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	290	6	8	SCT	30.13	41	38	3	2500	Sc			
02	290	7	8	SCT	30.13	40	38	2	2500	Sc			
03	275	8	8	SCT	30.14	40	38	3	2500	St			
04	260	7	8	SCT	30.15	40	38	3	3000	ST			
05	270	7	8	SCT	30.17	42	39	3	3500	ST			
06	270	7	8	SCT	30.18	44	40	2	3500	ST			
07	275	6	8	CLR	30.20	44	40	CLEAR					
08	255	6	8	CLR	30.20	43	39	CLEAR					
09	260	3	10	CLR	30.21	49	43	CLEAR					
10	260	4	10	CLR	30.20	54	45	CLEAR					
11	225	3	10	CLR	30.18	62	51	CLEAR					
12	215	3	10	CLR	30.16	63	52	CLEAR					
13	210	3	10	SCT	30.13	63	52	2	20000	Ci			
14	190	4	10	SCT	30.10	60	50	3	20000	Ci			
15	200	7	10	SCT	30.08	59	49	3	20000	Ci			
16	210	8	10	SCT	30.05	58	48	4	20000	Ci			
17	210	8	10	SCT	30.01	58	48	4	20000	Ci			
18	215	7	10	SCT	30.00	57	48	4	20000	Ci			
19	210	8	10	SCT	30.01	56	47	3	20000	Ci			
20	210	5	10	SCT	30.00	55	47	3	20000	Ci			
21	195	5	10	SCT	30.00	55	47	2	20000	Ci			
22	190	4	10	CLR	29.99	56	48	CLEAR					
23	190	4	10	CLR	29.98	55	47	CLEAR					
24	195	5	10	CLR	29.97	53	46	CLEAR					

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 45

REMARKS

~~00-04~~ ~~04-08~~ MOORED PORT SIDE TO PIER S-3, U.S. NAVAL STATION, CHARLESTON, S.C., SOPA IS COMINCLANT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM PIER. SHIP IS IN CONDITION OF READINESS II, WITH MATERIAL CONDITION YOKE SET.

[signature] DKG(s) USN

04-08 MOORED AS BEFORE 0745 MUSTERED THE CREW AT QUARTERS: ABSENTEES, NONE.

[signature] DKG(s) USN

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: [signature] DKG(s) U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) 15 (Day) tuesday (Date) 31 MAR (Month) 64

08-12 MOORED AS BEFORE. 1230 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES.

J Sneeringer
(REG USN)

12-16 MOORED AS BEFORE.

J Sneeringer
(REG USN)

16-20 MOORED AS BEFORE.

J Sneeringer
(REG USN)

20-24 MOORED AS BEFORE

J Sneeringer
(REG USN)

APPROVED: K Kellogg LT

U.S.N. COMMANDING

EXAMINED: J Sneeringer (REG USN)

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH